

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6561	((713/152) or (713/155) or (713/158) or (713/165) or (713/175-176) or (380/1) or (380/37) or (380/54) or (380/229) or (380/232) or (382/100) or (382/132) or (705/57-59) or (726/2) or (726/16) or (726/30)). CCLS.	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L2	3033	L1 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L3	88523	(generat\$4 predefin\$9 predetermin\$9 pre-defin\$9 pre-determin\$9 creat\$4) near4 (message\$1 instruct\$4)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L4	2415	L2 and (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L5	901	L4 and L3	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L6	81680	(input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near4 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L7	20	L5 and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L8	18	L7 and request\$4	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L9	3033	(message\$1) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L10	1307	L9 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L11	971	L10 and ((input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near8 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L12	429	(socket\$1) and (request\$4 near5 handl\$4) and (call near6 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L13	389	L12 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00

09/591,708

EAST Search History

L14	4492	(message\$1 packet\$6 datagram\$3) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L15	2	L13 and L14	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L16	88222	(input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near5 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L17	9	L8 and kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L18	4202	(message\$1 packet\$6 datagram\$3 instruct\$4) near6 (predefin\$6 pre-defin\$6 associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near6 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L19	2808	L16 and L18	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L20	63	L19 and (call near9 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L21	3	L20 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L22	223	L19 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L23	121	L22 and call\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L24	129	L22 and call\$3 and handl\$3	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L25	9	L24 and kernel\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L26	8	L25 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L27	9	L17 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L28	32	(socket\$1 near3 handl\$4) and (request\$4 near3 handl\$4) and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00

EAST Search History

L29	28	L28 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L30	11	L29 and L3	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L31	18992	L6 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6))	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L32	6078	L31 and L3	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L33	907	L32 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L34	90	L33 and (call near3 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L35	4064	(message\$1 instruct\$4) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L36	90	L34 and request\$4	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L37	1	L35 and L36	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L38	45	L11 and (call near9 handl\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L39	10	L38 and socket\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L40	10	L39 and message\$1	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:00
L41	14	jacobs near3 stuart	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:12
L42	0	mannix near3 francis	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:12
L43	7	christoffel near3 thomas	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:12
L44	0	belgard near3 scott	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:13
L45	0	(41 43) and (kernel\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:14
L46	14	(41 43) and (call near3 hand\$3)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:16
L47	0	(41 43) and (call and socket\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:16
L48	16	(41 43) and (call\$3 socket\$1)	USPAT; IBM_TDB	OR	OFF	2008/01/28 19:16